

ROWLEYS WHOLESALE

3604 Wilder Rd
Bay City, MI 48706
Website: www.rowleys.com
www.facebook.com/Rowleys.Wholesale
Email: customerservice@rowleys.com

Toll Free: 1-800-ROWLEYS
(769-5397)
Phone: 989-671-6500
Fax: 989-671-1400

BAY CITY, MI ● MEDINA, OH ● SOUTHGATE, MI

PRODUCT CATALOG

TABLE OF CONTENTS

Bulk sizes available on most products. Inquire for details.

Cyclo does not use ozone depleting CFC propellants!

LUBRICANTS 4

C10	Break Away	4
C300	Fusion 3.0	4
C320	Liqui Shield	4
C123	Red Grease	4
C34	White Grease	4
C33V	Silicone Spray	5
C305	ZLube 10 oz	5
C305INTL	ZLube International 10 oz	5
C306INTL	ZLube International 5.5 oz	5
C307INTL	ZLube International 3.3 oz	5
C400	Faster	5
C3322	Dry Moly	5
C661	Chain Lube	5

FUEL ADDITIVES 8

C44	Max44 Gasoline	8
C44B	Max44 Gasoline 8 oz	8
C43	Gas Treatment	8
C40	Fuel Injector Clean Up	8
C41	Fuel Injector & Carb Clean	8
C47	Octane Boost	9
C290	Fuel Stabilizer 8 fl oz	9
C292	Fuel Stabilizer 32 fl oz	9

DIESEL ADDITIVES 10

C44D	Max44 Diesel	10
C260	6XT Diesel Fuel Treatment 12 fl oz	10
C261	6XT Diesel Fuel Treatment 8 fl oz	10
C285	Diesel Water Remover	10
C24	Diesel Fuel Treatment & Anti-Gel 32 fl oz	10
CDFA	Diesel Fuel Treatment & Anti-Gel 8 fl oz	10
C23	Diesel Fuel Treatment Year Round	11
C21	Diesel Fuel Injector Cleaner	11

BRAKE 12

C111	Brake & Parts Clean	12
C111C	Brake & Parts Clean Low VOC	12
C111CA10VOC	Brake & Parts Clean Low VOC	12
C111SC	Brake & Parts Clean Low VOC	12
C101C	Brake & Parts Clean Methanol	12
C108C	Brake & Parts Clean Low Odor	12
C32	Brake & Parts Clean Chlorinated	12
C109	Parts, Tools & Brake Cleaner	12
C36	Disc Brake Quiet	12
C55	DOT 3 Brake Fluid 12 fl oz	13
C56	DOT 3 Brake Fluid 32 fl oz	13
C71	DOT 4 Brake Fluid 12 fl oz	13
C97	Air Brake Anti-Freeze & Dryer 32 fl oz	13
C98	Air Brake Anti-Freeze & Dryer 1 gal	13

CLEANERS 14

C30	No Stink Engine Clean	14
C39	No Stink Engine Clean Foaming	14
C1	Carb Clean 12 oz	14
C5	Carb Clean 19 oz	14
C1CA10VOC	Carb Clean Low VOC 12 oz	14
C1INTL	Carb Clean 12 oz	14
C85	Energized Circuit & Contact Cleaner	14
C87	Quick Dry Electronic Cleaner	14
C37	Electric Motor Cleaner	14

ENGINE & TRANSMISSION 16

C521	PermaStop	16
C19	Motor Flush 15 fl oz	16
C20	Motor Flush 30 fl oz	16
C99	Fast Start Starting Fluid 7.2 oz	16
C100	Fast Start Starting Fluid 10.7 oz	16
C50	Fast Flush	16
C45	Trans Stop Leak Conditioner	17
C2100	Smoke Treatment	17
C240M	Aluminized Stop Leak	17
C51	Anti-Rust & Water Pump Lubricant	17
C52	Stop Leak & Sealer	17
C53	Coolant Booster	17
C27	Power Steering Fluid 12 fl oz	18
C28	Power Steering Fluid 32 fl oz	18
C233	Power Steering Stop Leak	18
C89	Engine Stop Leak	18
C91	Premium Concentrated Oil Treatment	18
C90	Premium Gold Concentrated Oil Treatment	18

APPEARANCE 19

C392	Max Clean All-Purpose Cleaner	19
C395	Deep Defend Upholstery & Carpet Cleaner	19
C331	Glass Clean	19
C0801	Headlight Restorer	19
C206	Windshield Washer Solvent Concentrate	22
C207	Windshield Washer Concentrate w/ Anti-freeze	22
C62	Foam Away Tire Care Cleaner & Shine	22
C64	Bug & Tar Clean	22
C179	Citrus Hand Cleaner with Pumice 1 gal	22

82116	Rally Cream Car Wax	23
05140	Rally Liqui-Cream Wax	23

65864	Tanner's Preserve Leather Cleaner	23
65893	Tanner's Preserve Leather Conditioner	23

2510	Rain Dance Premium Liquid Wax	24
2540	Rain Dance Carnuba Car Wax	24
2233	Rain Dance Wet Tire Shine	24
2931	Rain Dance Quick Detailer	24
2550	Rain Dance Premium Cleaner Wax	24

16140	No7 Car & Truck Wash 8 oz	26
16330	No7 Car & Truck Wash 4 lb	26
16340	No7 Car & Truck Wash 16 lb	26
01110	No7 Auto Polish & Cleaner	26
06610	No7 Clearcoat Polishing Compound	26
09610	No7 Scratch Remover	26
10120	No7 Chrome & Metal Polish	26
08610	No7 Rubbing Compound	27
07610	No7 White Polishing Compound	27

ULTRAWELD ADHEVISES & SEALANTS 28

C904	Headliner & Carpet Adhesive	28
C301	Epoxy Sticks	28
C943	Clear 2 Part Epoxy	28
C944	Steel 2 Part Epoxy	28
C910	Rear View Mirror Adhesive	28
C991-6	Black Silicone Gasket Maker 9.8 fl oz	29
C951	Black Silicone Gasket Maker 3 fl oz	29
C992-6	Red Silicone Gasket Maker 9.8 fl oz	29
C952	Red Silicone Gasket Maker 3 fl oz	29
C993-6	Clear Silicone Gasket Maker 9.8 fl oz	29
C953	Clear Silicone Gasket Maker 3 fl oz	29
C956	Blue Silicone Gasket Maker 3 fl oz	29
C997-6	White Silicone Gasket Maker 9.8 fl oz	29
C999	Grey-OX Silicone 9.8 fl oz	29
C959	Grey OX Silicone	29
C961	Black OX Silicone	29

ULTRAWELD ANAEROBICS 30

C29010	Green Penetrating Grade 10 mL	30
C29050	Green Penetrating Grade 50 mL	30
C24006	Blue Medium Strength Gel 6 mL	30
C24350	Blue Surface Insensitive 50 mL	30
C24210	Blue Medium Strength 10 mL	30
C24250	Blue Medium Strength 50 mL	30
C22210	Purple Small Screws 10 mL	30
C22250	Purple Small Screws 50 mL	30
C920	Blue Medium Strength 6 mL	30
C925	Red High Strength 6 mL	30
C27750	Red Large Diameter 50 mL	31
C27725	Red Large Diameter 250 mL	31
C27250	Red High Temperature 50 mL	31
C26250	Red Permanent Strength 50 mL	31
C27110	Red High Strength 10 mL	31
C27150	Red High Strength 50 mL	31
C27006	Red High Strength Gel 6 mL	31
C51550	Gasket Maker General Purpose 50 mL	31
C51850	Gasket Maker Solvent Resistant 50 mL	31
C66050	Worn Part Retaining Compound 50 mL	32
C68050	Max Strength Retaining Compound 50 mL	32
C54550	Pneumatic/Hydraulic Sealant 50 mL	32
C56750	Extreme Temp Pipe Sealant 50 mL	32
C56550	Controlled Strength Pipe Sealant 50 mL	32
C59250	High Temp Pipe Sealant 50 mL	32

SPECIALTY 34

C501	Tire SOS Non-Flammable	34
C530	Engine Coolant Year Round	34
C35	Rubberized Under Coating	34
C120	Battery Cleaner & Acid Detector	34
C121	Battery Protector	34
C124-6	Belt Dressing	35
C682	Anti-Seize	35
C706	Dielectric Grease	35
C800	Cold Galvanize	35
C3352	Rust Converter	35

AIR FRESHENERS 36

NEW PRODUCT SHOWCASE 37

C570	SOS Spray Off Salt 22 oz	37
C573	SOS Spray Off Salt 1 gal	37

Look for this icon to identify NSF Registered Products
NSF Registration assures inspection officials and end users that products and labels meet appropriate food safety regulations. This program endorses that NSF registered products from Cyclo are safe for use in food processing equipment and environments.

Look for this icon to identify Cyclo winter & storage related products

1 LUBRICANTS

NSF

Stock #: C10

12 Pack

13 oz / 369 g



Break Away

The BEST At Loosening The Toughest Jobs

- Penetrant & super lubricant
- Breaks loose rusted joints & bolts
- Controls rust, corrosion & squeaks

Stock #: C300

6 Pack

13 oz / 369 g



Fusion 3.0

The Ultimate 3 in 1 Lubricant

- Reduces friction & stops annoying squeaks
- Penetrates & frees rusted frozen parts
- Inhibits future rust & corrosion

NSF

Stock #: C33V

12 Pack

10 oz / 284 g



Silicone Spray

200% More Silicone Than the Competition

- Lubricates, seals & protects
- Great for sliding mechanisms
- Prevents sticking, freezing & squeaks

Stock #: C305

12 Pack

10 oz. / 284 g



Z Lube®

For Every Job A to Z

- 4X faster penetration than the competition
- Displaces moisture, & stops squeaks
- Great for cleaning surfaces of grease, tar, marker, adhesives & more

C305INTL	12 pack	10 oz. / 284 g
C306INTL	12 pack	5.5 oz. / 156 g
C307INTL	12 pack	3.3 oz. / 94 g

NSF

Stock #: C320

12 Pack

10 oz / 284 g



Liqui Shield

The Longest Lasting Waterproof Lubricant

- Weather proof & waterproof
- The best prevention against rust & corrosion
- Does not attract dirt or sling-off making it great for moving parts

Stock #: C123

6 Pack

10.5 oz / 298 g



Red Grease

Conquers All of the Toughest Elements

- Up to 400°F / 204°C working temperature
- Protects & lubricates
- Red coloring provides easy visual inspection

NSF

Stock #: C34

12 Pack

11.5 oz / 326 g



White Grease

2X Longer Lasting Lithium Lubricant

- Long lasting & stays pliable
- Reduces wear & stops squeaks
- Repels moisture to protect against rust & corrosion

NSF

Stock #: C400

12 Pack

11 oz / 312 g



Faster

Deep Penetrating Formula

- Loosens, cleans & lubricates rusted parts
- Penetrates instantly
- Silicone free

Stock #: C3322

12 Pack

10.25 oz / 291 g



Dry Moly

50% Friction Reduction

- Fills in metal imperfections to create a smooth surface
- Low shear resistance & quick air-drying
- Up to 800°F / 427°C working temperature

NSF

Stock #: C661

6 Pack

11 oz / 312 g



Chain Lube

Strongest Cling to Reduce the Sling

- Up to 800°F / 427°C working temperature
- Foams on to stay in place then penetrates to provide maximum lubrication
- O-ring safe

THE LUBRICANT EXPERTS

SELECTION GUIDE

cyclo

I Am Having Trouble With...

	BREAKAWAY	FUSION 3.0	SILICONE SPRAY	Z•LUBE	LIQUI SHIELD	RED GREASE	WHITE GREASE	FASTER	DRY MOLY	CHAIN LUBE
SQUEAKY PARTS	⚙		⚙	⚙			⚙			
PROTECTION AGAINST RUST & CORROSION		⚙	⚙		⚙	⚙			⚙	
LOOSENING STUCK NUTS, BOLTS & LOCKS	⚙							⚙		
LUBRICATION & PROTECTION AT EXTREME TEMPERATURES			⚙			⚙			⚙	⚙
REPELLING WATER				⚙	⚙	⚙				
LUBRICATION & FRICTION REDUCTION	⚙	⚙	⚙		⚙	⚙	⚙		⚙	⚙
PENETRATING	⚙	⚙		⚙			⚙	⚙		⚙
REMOVING GREASE & GRIME				⚙				⚙		

MADE IN THE USA

⚙ The Best For The Job

2 FUEL ADDITIVES

Stock #: C44

6 Pack

16 fl oz / 473 mL



Max44®

Total Fuel System Cleaner & Lost Power Restorer

- 15% increase in fuel economy on average
- Improves acceleration & starting
- Synthetic formula mixes with all gasolines

C44B | 12 pack | 8 fl oz / 237 mL

Stock #: C43

12 Pack

8 fl oz / 237 mL



Gasoline Treatment

Removes Water & Stops Fuel System Corrosion

- Detergent formula cleans fuel system
- Improves performance & saves gas
- Removes water, fights rust & corrosion

Stock #: C47

12 Pack

12 fl oz / 355 mL



Octane Boost

More Octane = More Horsepower!

- Increases octane up to 30 points (3 numbers)
- Boosts octane & cleans fuel system for improved performance
- Helps stop knocks, pings & “run-on”
- Powerful street legal formula
- Helps "bad fuel" burn cleaner

Stock #: C290

12 Pack

8 fl oz / 237 mL



Fuel Stabilizer

Keeps Fuel Fresh for Quick Starts

- Prevents fuel deterioration & gum/varnish build up
- No need to drain fuel for storage
- For all 2 & 4 cycle engines

C292 | 6 pack | 32 fl oz / 946 mL

Stock #: C40

12 Pack

12 fl oz / 355 mL



Fuel Injector Clean Up

Opens Clogged Injectors To Restore Power & Acceleration

- One bottle cleans injectors fast
- Restores lost power & performance
- Dissolves injector & manifold deposits

Stock #: C41

12 Pack

12 fl oz / 355 mL



Fuel Injector & Carb Cleaner

Opens Clogged Injectors To Restore Power & Acceleration

- Helps save gas
- Reduces exhaust emissions
- Keeps injectors & fuel systems clean

A Total Fuel System Cleaner & Lost Power Restorer





Unique blend of concentrated synthetic cleaners formulated to help restore maximum power & increase fuel economy.

An advanced synthetic formula specifically designed to clean...

- Fuel Injectors
- Manifolds
- Combustion Chambers
- Intake Valves
- Carburetors

“I was hesitant to put anything in my vehicle, but I’m glad I did. Besides better mileage – my vehicle is running like it did when I first bought it.”

- Vinnie M., Charlotte, VA

“I thought my car was dead! It was making noise, had poor acceleration and constantly hesitating. After one bottle it came back to life and keeps getting better with each additional bottle.”

- Dina K., Cleveland, OH

3 DIESEL ADDITIVES

Stock #: C44D

6 Pack

16 fl oz / 473 mL



Max44® Diesel

Total Fuel System Cleaner & Lost Power Restorer

- 7.5% increase in fuel economy on average
- Reduces smoke & exhaust emissions
- Synthetic formula mixes with all diesel formulas
- Removes water
- Added lubricity for low-sulphur fuels

Stock #: C260

12 Pack

12 fl oz / 355 mL



6XT Diesel Fuel Treatment

Cleans Injectors to Maintain Power & Performance

- Cleans injectors & fuel systems
- Reduces smoke & emissions
- Saves fuel, restores power & removes water

C261 | 12 pack | 8 fl oz / 237 mL

Stock #: C23

12 Pack

8 fl oz / 237 mL



Winter Diesel Fuel Treatment

Fights Fuel Line Freeze

- Removes water & prevents sludge
- Keeps fuel injectors clean
- Improves cold weather flow
- Helps prevent filter clogging

Stock #: C21

12 Pack

32 fl oz / 946 mL



Diesel Fuel Injector Cleaner

50% Reduction in Smoke

- Cleans injectors & restores performance to save fuel
- Reduces smoke emissions
- Lubricant for low sulfur fuel

Stock #: C285

12 Pack

12 fl oz / 355 mL



Diesel Water Remover

Improves Diesel Performance

- Disperses water
- Reduces freezing point
- Cleans injectors
- No alcohol

Stock #: C24

12 Pack

32 fl oz / 946 mL



Diesel Anti-gel Fuel Treatment

Best for Cold Weather Environments

- Prevents formation of wax crystals & ice formation, preventing filter plugging
- Keeps injectors clean & disperses water
- Lubricant for low sulfur fuel

CDFA | 12 pack | 8 fl oz / 237 mL

Why Diesel Fuel Needs to be Treated During Winter Months

PROBLEM

Cold weather in diesel fuel causes wax formation, ice crystals, & poor stability, resulting in a loss of mileage efficiency, power and increased downtime.

PREVENTION


Prevent these winter problems by adding Cyclo's Diesel Fuel Treatment with Anti-Gel (C24 & CDFA) to your diesel. Our formula is designed to help prevent the major problems and downtime caused by cold weather diesel fuel wax, ice crystals and poor stability. This unique formula, which contains no alcohol attacks and helps reverse the effect of paraffin wax, water and carbon – the three major problems associated with diesel fuel.

PROCESS

Anti-Gel: Provides up to 50ºF lower operating temperature than untreated fuel (depending on the fuel and treatment level – see chart) to help prevent fuel line and fuel filter plugging.

Water Remover & De-Icer: Inhibits ice crystal formation to prevent blocked fuel filters and fuel lines. This formula permits water to be blended into the fuel in a very fine dispersion to safely burn the water in the combustion chamber.

Fuel Stabilizer: helps maintain fuel stability to reduce carbon and varnish buildup and helps keep fuel injectors clean. Cyclo is formulated to assure good storage stability and protect against deterioration at elevated engine temperatures.



Treatment (Gallons Treated)	250	1000
Winter Temperatures	1 Quart	1 Gallon
	Additional 25° F Protection	
Zero Temperatures	2 Quarts	2 Gallons
	Additional 35° F Protection	
Sub-Zero (Severe Conditions) Temperatures	4 Quarts	4 Gallons
	Additional 50° F Protection	



Brake & Parts Clean

One Can Cleans All 4 Brakes - Quickest Drying & Strongest Cleaning

Stock #	Pack Size	Fill
Original Non-Chlorinated Formula		
C111	12	14 oz / 397 g
Low VOC Formulas		
C111C	12	14 oz / 397 g
C111-CA10VOC	12	14 oz / 397 g
C111SC	12	14 oz / 397 g

Stock #	Pack Size	Fill
Methanol Formula		
C101C	12	13 oz / 369 g
Low-Odor Formula		
C108C	12	14 oz / 397 g
Chlorinated Formula		
C32	12	18 oz / 510 g

Other fill sizes available, please inquire

Stock #: C55
12 Pack
12 fl oz / 355 mL



DOT 3 Brake Fluid

450°F DOT 3

- High-temp formula 450°F (232°C) min. dry boiling point
- Mixes with all DOT 3 brake fluid
- Formulated for disc & drum brakes

C56 | 12 pack | 32 fl oz / 946 mL

Stock #: C71
12 Pack
12 fl oz / 355 mL



DOT 4 Brake Fluid

500°F DOT 4

- High-temp formula 500°F (260°C) min. dry boiling point
- 336°F (168°C) min. wet boiling point
- Mixes with all DOT 4 brake fluids

Stock #: C97
12 Pack
32 fl oz / 946 mL



Air Brake Anti-Freeze & Dryer

Protects Air Brake Systems from Icing & Removes Moisture

- Dissolves ice on contact
- Year-round protection

C98 | 4 pack | 1 gal / 3.79 L

Stock #: C109
12 Pack
18 oz / 510 g



Parts, Tools & Brake Cleaner

Chlorinated & Non-Flammable

- Excellent cleaner, quick drying
- Metal surfaces, CV joints, clutches & brakes

Stock #: C36
12 Pack
8.5 oz / 241 g



Disc Brake Quiet

High Temperature Formula

- Stops disc brake squeal
- Fast drying
- Applies smoothly & evenly

Brake Cleaner Guide

	C111	C111C/ C119C	C111-CA10VOC	C111SC	C101C	C108C	C32	C109
FLAMMABLE	●	●	●	●	●	●		
NON-CHLORINATED	●	●	●	●	●	●		
NON-FLAMMABLE							●	●
LOW ODOR						●		
CHLORINATED							●	●
VOC COMPLIANT FOR OTC STATES		●			●	●		
LOW VOC FOR CA			●					
MEETS SCAQMD STANDARDS				●				

Stock #: C30 / C39

12 Pack

16 oz / 454 g



Break Thru® Engine Clean

Degrease Without The Stink

- Heavy duty citrus scented degreaser
- Quickly removes grease & grime
- Penetrating solvent formula
- Non-foaming & foaming formulas available
- Cleans all engines

Stock #: C1

12 Pack

12.5 oz / 354 g



Break Thru® Carb Clean

Fast Gum Cutter

- Powerful solvent spray removes varnish, carbon & dirt
- Safe for oxygen sensors
- Applications: carbs, automatic chokes, PCV valves & linkages, fuel injector throttle plates, throttle bodies

C5	12 pack	19 oz. wt. / 539 g
C1CA10VOC	12 pack	12.5 oz. wt. / 354 g
C1INTL	12 pack	12.5 oz. wt. / 354 g

Stock #: C85

12 Pack

11 oz / 312 g



Energized Circuit & Contact Cleaner

Industrial Grade

- 141b alternative
- No flash point & no residue
- Quickly cleans dust, dirt, lint, hair, sand, sawdust, moisture and microscopic debris from hard-to-reach areas
- Safe in enclosed areas
- Applications: office equipment, lab equipment, electronics, photo equipment, clean rooms

Stock #: C87

12 Pack

11 oz / 312 g



Break Thru® Electronics Cleaner

Quick Dry Formula Leaves No Residue

- Instantly removes oil, grease, dirt & grime
- Precision cleaner designed to replace CFC products where lower flashpoint solvents may be used
- Applications: electronics, lighting, contacts, terminals, plugs, plastics, computers, circuits, nylon, sockets, PVC

Stock #: C37

12 Pack

18 oz / 510 g



Electric Motor Cleaner

Cleans, Degreases & Quickly Evaporates

- Cleans & degreases electrical systems, starters, generators, alternators, solenoids & equipment
- Non-flammable
- Use without disassembling
- Applications: electrical motors, alternators, starters, solenoids, distributors, portable tools, batteries

Real Mechanics Know What Works!



The BEST At Loosening The Toughest Jobs

6 ENGINE & TRANSMISSION

Stock #: C521

12 Pack

8 fl oz / 237 mL



Permastop®

The 60 Second Solution

- Permanent total cooling system repair
- 33% more effective than the leading competition
- 1 step multi-purpose system for coolant leak repair, head gaskets, radiators, heater cores, water pump casings, cylinder heads & engine blocks

Stock #: C19

24 Pack

15 fl oz / 444 mL



Motor Flush

Cleans Engine In 3 Minutes

- Easy to use, add to oil before changing
- Removes power-robbing deposits
- Dissolves gum, sludge & varnish & helps free sticking valve lifters & rings

C20 | 12 pack | 32 fl oz / 946 mL

Stock #: C45

12 Pack

12 fl oz / 355 mL



Trans Stop Leak & Conditioner

Boosted with Special Anti-foaming Agents

- Stops leaks
- Conditions seals & assures smooth, quiet shifting & performance
- Compatible with all transmission fluids
- Guards against wear & slippage
- For all automatic transmissions

Stock #: C2100

12 Pack

14.5 fl oz. / 429 mL



Smoke Treatment

Reduces Exhaust Smoke & Oil Consumption

- Reduces metal-to-metal contact
- Quiets noisy lifters, valves & pistons
- Increases surface film thickness to help loss of lubrication
- Use every oil change

Stock #: C240M

12 Pack (20 tubes per pack)

.75 oz / 21.2 g Per Tube



Aluminized Stop Leak

Stops Leaks Fast & Permanently

- Repairs leaks in radiators, water pumps, cylinder heads, hose connections, engine blocks, freeze plugs, heaters & gasket joints
- Inhibits rust

Stock #: C99

12 Pack

7.2 oz / 204 g



Fast Start Starting Fluid

High Ether Formula

- Professional quality, for gasoline & diesel engines
- Fast cold weather starts to -65°F (-53°C)
- Contains upper cylinder lubricant & rust inhibitor

C100 | 12 pack | 10.7 oz. wt. / 303 g

Stock #: C50

12 Pack

12 fl oz / 355 mL



Fast Flush

The 10-Minute Cooling System Cleaner

- Quickly removes rust & scale
- Safe for all cooling systems
- Cleans radiators & operates cooler & trouble-free

Stock #: C51

12 Pack

12 fl oz / 355 mL



Anti-Rust & Water Pump Lubricant

Fights Corrosion, Rust & Scale

- Lubricates water pump seals & parts
- Keeps cooling system clean & running cool
- Safe for all cooling systems

Stock #: C52

12 Pack

12 fl oz / 355 mL



Stop Leak & Sealer

The Purest Silicate Technology to Prevent Clogging

- Quickly finds & seals leaks with natural fibers
- Safe for all cooling systems
- Circulates without clogging & is effective on all metals

Stock #: C53

12 Pack

12 fl oz / 355 mL



Coolant Booster

Restores Additives to Extend Coolant Life

- Extends coolant life & restores additives contained in a full gallon of quality anti-freeze
- Stops rust & corrosion
- Lubricates water pump seals & moving parts to stop squeaks
- Safe for all cooling systems

6 ENGINE & TRANSMISSION

Stock #: C27

12 Pack

12 fl oz / 355 mL



Power Steering Fluid

Protects Against Wear Helps Stop Squeaks

- Meets service requirements for most car manufacturers
- Helps stop squeals & protects against wear
- Smooth year-round performance

C28 | 12 pack | 32 fl oz / 946 mL

Stock #: C233

12 Pack

12 fl oz / 355 mL



Power Steering Stop Leak

Sealer, Protector & Conditioner

- Formulated to stop or reduce loss of fluid caused by dry, hard or leaky seals
- Conditions seals to keep them soft and pliable
- Protects from wear and stops squeals
- Compatible with all power steering fluids

Stock #: C89

12 Pack

15 fl oz / 444 mL



Engine Stop Leak

Stops Oil Leaks

- Formulated to help reduce or stop oil leaks
- Revitalizes & conditions “dried out” seals & gaskets
- Recommended for gasoline & diesel engines
- Easy to use, just add to oil

Stock #: C91

24 Pack

15 fl oz / 444 mL



Concentrated Oil Treatment

Premium Formula

- Fortifies oil; stops oil burning
- Restores compression & lost power
- Quiets noisy lifters, valves & pistons & reduces oil consumption & exhaust smoke

Stock #: C90

12 Pack

14 fl oz / 414 mL



Gold Concentrated Oil Treatment

Added Protection with CX3 Technology

- Fights oil breakdown
- Cleans & quiets noisy lifters & valves

7 APPEARANCE

NSF

Stock #: C392

12 Pack

18 oz / 510 g



Max Clean®

The Best for Any Dirty Job

- Multi-purpose foaming cleaner boosted with citrus activators
- Deep-cleaning foaming action
- Spray on, wipe off
- Applications: vinyl, chrome, fiberglass, aluminum, granite, fabric, appliances, machinery, tools, clothing, & many more

Stock #: C395

12 Pack

14 oz / 397 g



Deep Defend®

4X Deeper Clean

- Upholstery and carpet foaming cleaner and protector
- Stain shield technology
- Defeats dirt & stains and defends against future accidents
- Applications: carpet, fabric, upholstery

NSF

Stock #: C331

12 Pack

19 oz / 539 g



Glass Clean®

100% Streakproof Formula

- Safe for window tinting film & all auto, marine, farm & industrial equipment
- Cuts grease, grime & nicotine film
- Does not run, contains no ammonia
- Applications: windshields, plastics, fiberglass, plexiglass, lexan, acrylic, chrome, aluminum, stainless steel

Stock #: C0801

6 Pack

8 fl oz / 237 mL



Headlight Restore

Restores to Like-New Condition

- Removes surface oxidation, pitting and scratches with long-lasting shine and protection
- Not harmful to surrounding chrome and paint
- No sanding or harsh chemicals
- Added UV protection
- Safe for all polycarbonate

Stock #: C206

24 Pack

6 fl oz / 177 mL



Windshield Washer Solvent w/ Ammonia

Removes Bugs, Road Film & Grime

- Add to windshield washer fluid reservoir
- Use 1 oz. per 1 quart of water

Stock #: C207

12 Pack

16 fl oz / 473 mL



Windshield Washer Solvent w/ Antifreeze

The Year-Round Windshield Cleaner

- All-season product: winter anti-freeze & summer cleaner
- 100% concentrated formula (compared to most others at 40% water)
- User may custom blend solvent to match weather conditions

Stock #: C62

12 Pack

19 oz / 539 g



Foam Away Tire Care

One-Step Foam Cleans, Shines & Protects

- Dissolves & removes dirt & brake dust
- Restores a lustrous like-new finish
- Builds a barrier against cracking, fading & discoloration
- No rinsing or wiping required

Stock #: C64

12 Pack

12 oz / 340 g



Bug & Tar Clean

Extra Strength Cream Formula

- Dissolves & removes tar, tree sap, bugs & more
- Unique creamy formula - does not flash off
- Safe for all automotive finishes

Stock #: C179

4 Pack

1 GAL / 3.78 L



Hand Cleaner

Citrus Lotion with Pumice

- Removes grease, oil, ink, undercoating, pipe dope & more
- No water needed
- Conditioner enriched with 6 skin care ingredients

Rally

The Special Way to Wax

Stock #: 82116

6 Pack

10 fl oz / 296 g



Cream Car Wax


The Fast, Easy Way to Clean & Shine

- Easy on! Easy off!
- Cleans deep & shines deep
- Special blend of premium silicone & imported montan wax

Stock #: 05140

12 Pack

14 fl oz / 414 mL



Liqui-Cream™ Wax

The Longest Lasting

- Easy on! Easy off! Leaves a rich, beautiful shine
- Safely cleans & polishes metalic, enamel & clearcoat finishes
- Long-lasting protection

Stock #: 65864

6 Pack

7.5 fl oz / 222 mL



Tanner's Preserve® Leather Cleaner

The Safest Cleaner to Remove the Toughest Grime

- Safe & easy leather cleaner
- Made without harsh chemicals
- Will not harm leather finishes
- Applications: Car interiors, furniture, clothing, bags, luggage & accessories

Stock #: 65893

6 Pack

7.5 fl oz / 222 mL



Tanner's Preserve® Leather Conditioner

The BEST at Rejuvenating & Protecting Longer

- Restores worn leather surfaces
- Returns leather to a rich luster
- Applications: Car interiors, furniture, clothing, bags, luggage & accessories

Tanner's Preserve®

Vehicle Manufacturers' Trusted Choice

Rain Dance

Long Lasting, Less Waxing

Stock #: 2510

6 Pack

16 fl oz / 473 mL



Premium Liquid Wax

Brilliant Reflective Shine

- Leaves a velvet-touch feel on paint surface
- Added shine element for show-car shine
- Rich formula leaves no residue
- Clear coat safe

Stock #: 2540

6 Pack

10 fl oz / 296 mL



Carnauba Car Wax

Long-Lasting Water-Beading Shine

- Contains only the purest grades of carnauba & other durable waxes that seal a vehicle's finish
- Smooth fine scratches & swirl marks to create a brilliant & shiny surface
- Blocks out damaging elements that fade paint & cause oxidation

Stock #: 2233

6 Pack

14.5 oz / 411 g



Wet Tire Shine

No Wiping! No Rinsing!

- Unique spray & shine formulation for deep shine & high gloss
- Helps prevent browning, cracking & pre-mature aging of tires
- Features unique nozzle application to direct the spray to the precise areas & restores deep black appearance

Stock #: 2931

6 Pack

22 fl oz / 651 mL



Quick Detailer

Multi-Surface Tool for a Quick Shine

- Great tool for detailing everyday
- Touch-ups & in-between washing & waxing
- Formulated for superior shine & to enhance vehicle wax protection

Stock #: 2550

6 Pack

16 fl oz / 473 mL



Premium Cleaner Wax

3 in 1 - Cleaner, Polisher & Protector

- Formulated to go deeper for a thoroughly clean surface
- Gentle abrasive formula to remove fine lines, swirl marks & contaminants not removable by regular waxes or cleaners
- Helps restore original vehicle appearance & leaves surface smooth & protected

What Do You Want From Your Car?

A) More Power
B) More Savings
C) All The Above



Power to the MAX
Savings to the MAX

MAX44

7 APPEARANCE

Stock #: 06610

12 Pack

8 fl oz / 237 mL



Clearcoat Polishing Compound

"Smooth as Glass" Finish

- Safely eliminates minor scratches & light oxidation
- Cleans stains, grime & road film
- Restores vehicle appearance

Stock #: 01110

6 Pack

14 fl oz / 414 mL



Auto Polish & Cleaner

New Car Beauty Fast & Easy

- Cleans deep down & removes grime & stains, weathered paint & dulling road film
- Restores "new-car" brilliance
- Gives a bright, long-lasting shine

Stock #: 08610

12 Pack

10 fl oz / 296 mL



Rubbing Compound

Cleans & Restores Dull Finishes

- Heavy duty paste
- Cleans & smooths rough surfaces
- Removes deep scratches & stains

Stock #: 07610

12 Pack

10 fl oz / 296 mL



White Polishing Compound

Cleans & Shines

- Removes scratches, cleans & shines dull finishes
- Removes heavy traffic film & weathered paint
- Provides smooth, shiny surface quickly & easily

Stock #: 16140

12 Pack

8 oz / 227 g



Car & Truck Wash Concentrate

Floats Off Dirt Fast

- Safe for waxed cars
- Does not harm finishes
- Low foam, water saving formula
- Also great as household cleaner for walls, woodwork, windows, floors & tile

16330	4 pack	4 lb / 1.8 kg
16340	1 pack	16 lb / 7.24 kg

Stock #: 09610

6 Pack

8 fl oz / 237 mL



Scratch Remover

Formulated with Diminishing Abrasives

- Safely removes light scratches/swirls
- Super-fine particles break down from friction to gently buff away any surface blemishes
- Safe for all finishes, hand or machine uses

Stock #: 10120

12 Pack

8 fl oz / 237 mL



Chrome & Metal Polish

Fast & Easy Cleaner, Polish & Rust Remover

- Cleans & polishes nickel, brass, copper & stainless steel in one operation
- Bright mirror shine for chrome bumpers & trim
- Removes traffic film, bug residue & rust stains quickly & easily



Stock #: C904

12 Pack

14.25 oz / 404 g



Ultraweld® Headliner Adhesive

Professional Strength Non-Staining Formula

- Superior moisture/ water temperature resistance
- 3-way adjustable spray
- The strongest bond
- Applications: bonds carpet, fabric & foam to metal, leather, plastic, wood, paper, fiberglass & more

Stock #: C301

12 Pack

2 oz / 57 g



Ultraweld® Epoxy Stick

5 Minute Quick Set

- Super strong, high temp formula, even sticks & cures underwater
- No odor, no mess, no drips, shrinkage, sags, or waste like liquid epoxy
- Applications: intake manifolds, water tanks, radiators, engine blocks & all wood, steel, aluminum, fiberglass & plastic

Stock #: C943

12 Pack

2 - .5 oz / 14 g tubes



Ultraweld® Clear Epoxy

Colorless Bonding Compound

- 4 Minute Quick Set
- Waterproof / solvent-resistant
- Can be drilled, sanded & machined
- Applications: concrete, metal, wood, glass, china, plastic, tile & more

Stock #: C944

12 Pack

2 - 1 oz / 28 g tubes



Ultraweld® Epoxy Steel

Cold Welding Compound

- Fast, strong & odorless
- Quick to mix & fast to apply
- Cures to a metal-like finish overnight
- Can be drilled, tapped or machined like original metal

Stock #: C910

12 Pack

2 - .01 fl oz / .3 mL



Ultraweld® Rear View Mirror Adhesive

5 Minute Quick Fix

- Bonds bracket to windshield
- Permanent in minutes
- O.D.C free

ULTRAWELD®



Ultraweld® Silicone Instant Gasket Makers

- Oxygen sensor-safe
- Forms instant leak-proof gaskets on all engines
- Low volatile formula meets GM 9985443 specs
- Pressure resistant
- Great adhesive & sealant on many materials- metal, glass, plastic, wood, rubber, fiberglass, etc.
- Instant RTV (Black OX & Grey OX) Gasket Makers
  - Hi-temp up to 650°F (343°C) & oxygen sensor safe
  - Low odor / non-corrosive
  - Forms instant leakproof gaskets on all engines

Stock #	Pack Size	Fill
Black Silicone		
C991-6	6	9.8 fl oz / 290 mL
C951	12	3 fl oz / 89 mL
Red Silicone		
C992-6	6	9.8 fl oz / 290 mL
C952	12	3 fl oz / 89 mL
Clear Silicone		
C993-6	6	9.8 fl oz / 290 mL
C953	12	3 fl oz / 89 mL
Blue Silicone		
C956	12	3 fl oz / 89 mL
White Silicone		
C997-6	6	9.8 fl oz / 290 mL
Grey OX Silicone		
C999	6	13 fl oz / 384 mL
C959	12	3.35 fl oz / 99 mL
Black OX Silicone		
C961	12	3.35 fl oz / 99 mL

Stock #: C904

12 Pack

14.25 oz / 404 g



Ultraweld® Headliner Adhesive

Professional Strength Non-Staining Formula

- Superior moisture/ water temperature resistance
- 3-way adjustable spray
- The strongest bond
- Applications: bonds carpet, fabric & foam to metal, leather, plastic, wood, paper, fiberglass & more

Stock #: C301

12 Pack

2 oz / 57 g



Ultraweld® Epoxy Stick

5 Minute Quick Set

- Super strong, high temp formula, even sticks & cures underwater
- No odor, no mess, no drips, shrinkage, sags, or waste like liquid epoxy
- Applications: intake manifolds, water tanks, radiators, engine blocks & all wood, steel, aluminum, fiberglass & plastic

Stock #: C943

12 Pack

2 - .5 oz / 14 g tubes



Ultraweld® Clear Epoxy

Colorless Bonding Compound

- 4 Minute Quick Set
- Waterproof / solvent-resistant
- Can be drilled, sanded & machined
- Applications: concrete, metal, wood, glass, china, plastic, tile & more

Stock #: C944

12 Pack

2 - 1 oz / 28 g tubes



Ultraweld® Epoxy Steel

Cold Welding Compound

- Fast, strong & odorless
- Quick to mix & fast to apply
- Cures to a metal-like finish overnight
- Can be drilled, tapped or machined like original metal

Stock #: C910

12 Pack

2 - .01 fl oz / .3 mL



Ultraweld® Rear View Mirror Adhesive

5 Minute Quick Fix

- Bonds bracket to windshield
- Permanent in minutes
- O.D.C free

ULTRAWELD®



Ultraweld® Silicone Instant Gasket Makers

- Oxygen sensor-safe
- Forms instant leak-proof gaskets on all engines
- Low volatile formula meets GM 9985443 specs
- Pressure resistant
- Great adhesive & sealant on many materials- metal, glass, plastic, wood, rubber, fiberglass, etc.
- Instant RTV (Black OX & Grey OX) Gasket Makers
  - Hi-temp up to 650°F (343°C) & oxygen sensor safe
  - Low odor / non-corrosive
  - Forms instant leakproof gaskets on all engines

Stock #	Pack Size	Fill
Black Silicone		
C991-6	6	9.8 fl oz / 290 mL
C951	12	3 fl oz / 89 mL
Red Silicone		
C992-6	6	9.8 fl oz / 290 mL
C952	12	3 fl oz / 89 mL
Clear Silicone		
C993-6	6	9.8 fl oz / 290 mL
C953	12	3 fl oz / 89 mL
Blue Silicone		
C956	12	3 fl oz / 89 mL
White Silicone		
C997-6	6	9.8 fl oz / 290 mL
Grey OX Silicone		
C999	6	13 fl oz / 384 mL
C959	12	3.35 fl oz / 99 mL
Black OX Silicone		
C961	12	3.35 fl oz / 99 mL

ULTRAWELD®

ANAEROBIC THREAD LOCKERS







PRODUCT	PENETRATING GRADE	MEDIUM STRENGTH GEL	SURFACE INSENSITIVE	MEDIUM STRENGTH	SMALL SCREWS
TYPICAL SIZE FASTENER	#2 to 1/2" 2.2 to 12 mm	1/4" to 1" 6 to 25 mm	1/4" to 3/4" (6 to 20 mm)	1/4" to 3/4" (6 to 20 mm)	Up to 1/4" (6 mm)
BREAK/PREVAIL (INCH POUNDS)	97 / 266	115 / 50	186 / 53	115 / 53	62 / 35
TEMP. RANGE	-65° to 300° F (-54° to 149°C)	-65° to 300° F (-54° to 149°C)	-65° to 300° F (-54° to 149°C)	-65° to 300° F (-54° to 149°C)	-65° to 300° F (-54° to 149°C)
VISCOSITY CP	12	75,000 / 900,000	2,250 / 12,000	1,200 / 6,000	1,200 / 5,000
SIZES	C29010 10 mL C29050 50 mL	C24006 6 mL	C24350 50 mL	C24210 10 mL C24250 50 mL	C22210 10 mL C22250 50 mL
USE ON	Carburetors; electrical connectors; instrumentation screws; pre-assembled fasteners	Tools; pumps, compressors; gear boxes; bolts - (mounting, pulley, coupling)	Pumps; motor mounting bolts; gear boxes; presses	Tools; pumps, compressors; gear boxes; bolts - (mounting, pulley, coupling)	Set screws; throttle body assembly screws; panel mounting fasteners; meters & gauges

CONVENTIONAL THREAD LOCKERS



THREAD LOCKERS - BLUE
Medium Strength - Removable

- Locks, fastens & seals threads
- Prevents loosening due to vibration
- Removable with normal hand tools

Stock #: C920 | 6 pack | .20 oz. / 6 mL



THREAD LOCKERS - RED
HIGH Strength - Permanent

- Locks, fastens & seals threads securely
- Prevents loosening due to vibration
- Disassembly requires extra effort

Stock #: C925 | 6 pack | .20 oz. / 6 mL

ULTRAWELD®

ANAEROBIC THREAD LOCKERS







PRODUCT	LARGE DIAMETER	HIGH TEMPERATURE	PERMANENT STRENGTH	HIGH STRENGTH	HIGH STRENGTH GEL
TYPICAL SIZE FASTENER	1" and over (25 mm+)	3/8" to 1-1/2" (10 to 38 mm)	3/8" to 1" (10 to 25 mm)	3/8" to 1" (10 to 25 mm)	3/8" to 1" (10 to 25 mm)
BREAK/PREVAIL (INCH POUNDS)	284 / 284	213 / 230	177 / 266	239 / 266	195 / 248
TEMP. RANGE	-65° to 300° F (-54° to 149°C)	-65° to 450° F (-54° to 230°C)	-65° to 300° F (-54° to 149°C)	-65° to 300° F (-54° to 149°C)	-65° to 300° F (-54° to 149°C)
VISCOSITY CP	7,000	10,000	1,800 / 5,000	500	75,000 / 900,000
SIZES	C27750 50 mL C27725 250 mL	C27250 50 mL	C26250 50 mL	C27110 10 mL C27150 50 mL	C27006 6 mL
USE ON	Heavy duty equipment such as construction & railroad assemblies; suspension bolts; gear bolts	Camshaft sprockets bolts; crankshaft bolts; transmission input & output shaft threads; idler bearings; ring gear or shock bolts	Suspension fasteners; shock absorber mounts; frame brackets; wheel studs	Cylinder block bolts; transmission shaft bolts; ring gear bolts	Cylinder block / rocker arms studs; shock absorber mounts; ring gear & frame bolts



GASKET MAKER
General Purpose

- Flexes with flanges
- Extended work time

Stock #: C51550 | 6 pack | 1.69 fl oz. / 50 mL tubes



GASKET MAKER
Solvent Resistant

- Fast work time
- For aluminum & rigid machined flanges

Stock #: C51850 | 6 pack | 1.69 fl oz. / 50 mL tubes

	Purple	Red
COLOR		
TEMP. RANGE	-65° to 300° F (-54° to 149°C)	-65° to 300° F (-54° to 149°C)
VISCOSITY	275,000 / 950,000	800,000 / 3,750,000
CURE SPEED	30 min. to 4 hrs. (primed) 4 to 24 hrs (unprimed)	15 min. to 2 hrs. (primed) 1 to 12 hrs (unprimed)
USES	Water pumps; engine cases; timing covers; thermostat housing	Transmission pans; trans axle casings; water pumps

8

ULTRAWELD®

ANAEROBIC RETAINING COMPOUNDS



C66050



C68050

PRODUCT	Worn-Part Retaining Compound	Maximum Strength Retaining Compound
MAX GAP FILL DIAMETER	Up to .020" (.5 mm)	Up to .015" (.4 mm)
SHEER STRENGTH	3000 psi	4000 psi
OPERATING TEMP.	-65° to 300° F (-54° to 149°C)	-65° to 300° F (-54° to 149°C)
VISCOSITY CP	1,200,000	1,250
USES	Loose set screws; worn couplings; worn shafts & housings	Wheel & press fit bearings; replaces set screws, clamp rings, snap rings

ANAEROBIC PIPE SEALANT



C54550



C56750



C56550



C59250


PRODUCT	Pneumatic / Hydraulic Sealant	Extreme Temperature with PTFE	Controlled Strength with PTFE	High Temperature with PTFE
MAX PIPE DIAMETER	2" (50 mm)	3" (75 mm)	2" (50 mm)	2" (50 mm)
SEALS TO OPERATING PRESSURE	10,000 psi	10,000 psi	10,000 psi	10,000 psi
TEMP. RANGE	-65° to 300° F (-54° to 149°C)	-65° to 400° F (-54° to 200°C)	-65° to 300° F (-54° to 149°C)	-65° to 400° F (-54° to 200°C)
VISCOSITY	14,000 (cP)	300,000 (cP)	300,000 (cP)	350,000 (cP)
USES	Fitting on hydraulic lines, brakes, transmission fluid	Tapered pipe threads & fittings	Stainless steel fittings; oil & coolant lines; fuel fittings	Oil psi switches & sensors; transmission oil & coolant lines; head bolts

ANAEROBIC GUIDE

THREAD LOCKING

BLIND HOLES

Step 1
Apply C262** both the stud threads and female threads inside the hole.




Step 2
After assembly, apply C242 or (C243) on to any exposed threads

ADJUSTMENT SCREWS

Step 1
Tighten screw to desired setting


Step 2
Apply C290 where screw and body meet



PRE-ASSEMBLED

Step 1
Assemble all parts to desired strength

Step 2
For maximum locking, apply C290 where nut and bolt meet



THREAD SEALING


(see opposite side to select the right Pipe Sealant for your application)

PIPE, HYDRAULIC OR AIR FITTINGS

start approximately 2 band from bottom

Step 1
Apply Sealant to male threads


Step 2
Assemble without overtightening



PIPE UNIONS

Step 1
Apply Sealant to male threads


Step 2
Assemble without overtightening



COMPRESSION FITTINGS

Step 1
Apply Sealant onto tubing where ferrule will eventually rest

Step 2
Push ferrule into place and apply Sealant to ferrule




Step 3
Apply Sealant to male threads and assemble without

GASKETING

SEALING CAST RIGID FLANGES

Step 1
Apply an even, unbroken bead of Gasket Maker


Step 2
Assemble and tighten parts to required strength



SEALING FLANGES

Step 1
Apply C518 to both sides of precut gasket

Step 2
Apply gasket to flange surface and assemble immediately




Step 3
Use C242, C243 or C24006 on bolt and hole threads

HEAVY DUTY KEYED ASSEMBLIES

Step 1
Apply C660 on shaft, key and in keyway

Step 2
Assemble parts and remove any excess




SHAFT MOUNTED ASSEMBLIES

Step 1
Trim sleeve for appropriate slip fit

Step 2
Apply C680 or C660 around shaft and install sleeve

Step 3
Apply C660 to sleeve and install component



HOUSED COMPONENTS - SLIP FIT



Step 1
Reduce component O.D. (or housing I.D.) for .002-.004" slip fit

Step 2
Apply C660 to component O.D. and assemble with a twisting motion

Step 3
Remove any excess

DISASSEMBLY OF HIGH STRENGTH FASTENERS

- APPLY LOCALIZED HEAT TO ASSEMBLED UNIT FOR 5 MINUTES. FOR BEST RESULTS, USE TEMPERATURES OF 450˚F (232˚C) OR HIGHER
- DISASSEMBLE WITH HAND TOOLS WHILE HOT



Stock #: C501

12 Pack

12 oz / 340 g



Non-Flammable Tire S.O.S

Emergency Tire Rescue

- Quickly reinflates & seals punctures from the inside of a damaged tire
- Non-flammable product
- Comes with a handy hose applicator for easy use

Stock #: C530

6 Pack

1 gal / 3.73 L



Engine Coolant

Year Round Protection

- Boosted with glycol for improved high & low temperature performance
- Anti-corrosion formula
- Not an anti-freeze

Stock #: C124-6

6 Pack

8 oz / 227 g



Belt Dressing

Protective Coating Prevents Drying & Cracking

- Stops squeaks, adds traction
- Protects against further slippage
- Protects fan belts & motor driven belts against drying & cracking

Stock #: C682

12 Pack

8 fl oz / 237 mL



Anti-Seize

Protects metal parts from extreme heat, pressure, rust & corrosion

- Prevents galling, seizing & pitting & reduces wear & friction
- Ensures accurate torque & easy disassemble

Stock #: C706

6 Pack

3 fl oz / 89 mL



Dielectric Grease

Lubricates, seals & protects electrical connections

- Rust & corrosion protection
- Locks out moisture, oil, salt & dirt

Stock #: C35

12 Pack

16 oz / 454 g



Under Coating

Professional Looking Textured Finish

- Fights rust, soundproofs & restores protection
- Paintable & quick drying
- Blocks out salt & water
- Rubberized formula

Stock #: C120

12 Pack

15 oz / 425 g



Battery Cleaner & Acid Leak Detector

Extends Battery Life

- Cleans & helps protect battery terminals, clamps, connectors, cables & carriers
- Removes corrosion & extends battery life
- Locates & identifies acid leaks

Stock #: C121

12 Pack

11 oz / 312 g



Battery Protector

Extends Battery Life

- Protective red-colored coating prevents corrosion on terminals & brackets
- Soft pliable formula flows into cracks & crevices for maximum protection
- Extends battery life

Stock #: C800

12 Pack

13 oz / 369 g



Cold Galvanize

Industrial Grade

- 98% pure zinc coating provides long-term protection against rust & corrosion
- Heat resistant coating - up to 300°F
- Combines tough properties of epoxy & galvanic protection of zinc

Stock #: C3352

12 Pack

10 oz / 284 g



Rust Converter

Seals & converts rusted surface into paintable area

- Neutralizes rust & is long-lasting
- Use on gates, bridges, marine equipment, farm tools, metal roofs & more



SPECIALTY



VIVA-SCENT® PALM TREES

- Long lasting - up to 8 weeks
- Immediately ready for display/hanging
- Offset foul & unpleasant odors
- Wide variety of most popular scents

Palm Trees:
Display: 12 | Case: 144

Display Board:
Display: 60 | Case: 12



VIVA-SCENT® ORGANICS

- Three scent infused blocks - up to 60 days of scent
- Natural, pleasant scents
- Available in assorted & individual display boxes
- Immediately ready for counter placement

Display: 24 | Case: 144 | Contents: 1.5 oz. / 43 g

SCENTS:

VIVA-SCENT® PALM TREES

C-FHCH Cherry
C-FHJS Jasmine
C-FHIB Cool Black
C-FHNC New Car
C-FHPN Pine
C-FHST Strawberry
C-FHVN Vanilla
C-FHWD Wildberry

VIVA-SCENT® ORGANICS

C-FN2CH Cherry
C-FN2JS Jasmine
C-FN2NC New Car
C-FN2ST Strawberry
C-FN2VN Vanilla
C-FN2WD Wildberry

NEW PRODUCT SHOWCASE

Stock #: C570
12 Pack
22 oz / 651 g



SPRAY OFF SALT

Inhibits Corrosion

- Removes Salt Deposits
- Biodegradable
- Marine Use
- Engine Flush & Protector

C573 | 4 pack | 1 GAL / 3.78 L

SYS SPRAY OFF SALT



Safe For All Surfaces & Applications

Available Sizes: 22 fl oz Premix (Stock No. C570), 1 gallon Concentrate (Stock No. C573), Applicator (Stock No. C574)

PROFESSIONAL PERFORMANCE
TRUSTED THROUGHOUT THE WORLD



= Cyclo Home Offices = Cyclo Warehouses = Cyclo Distributors

For over 50 years, the Cyclo brand of professional quality products has been used in automotive, heavy duty/fleet, industrial, agricultural and marine services. The brand started as a line of service chemicals which was largely sold through traditional warehouse distributors to jobbers and then to professional mechanics and serious do-it-yourselfers. The line is known for its professional quality formulas and superior packaging since the first Cyclo product was introduced - Carb Clean® Fast Gum Cutter.

The array of colors used in Cyclo packaging was originally introduced for the professional, so he could quickly reach for a product without having to read the label. Cyclo products have always been formulated for professionals who use the products as tools to do their jobs quicker, easier and better. One comment heard over and over from mechanics trying products for the first time is that they are amazed at how much quality and effectiveness they can get out of one can.

In 2000, Cyclo acquired the Rally® and No 7® car care brands from the Clorox® Company. The acquisition of these two world-famous appearance brands broadened Cyclo's offering and stature in the aftermarket. Both lines fit perfectly with Cyclo's professional quality products in both performance and quality. In 2003, the additional acquisition of Tanner's Preserve® Leather Care products from Clorox added another category to Cyclo.

Cyclo developed an export business more than 25 years ago and currently has distributor relationships in over 80 countries around the world. In 2006, Cyclo was acquired by Pidilite USA Inc., a division of Pidilite Industries, Ltd. headquartered in Mumbai, India. Pidilite employs over 3,000 people in 14 countries with customers throughout the world.

Cyclo products are proudly Made in the USA. The company manufactures an American made product line to ensure their impeccable standards are met. Cyclo is continually researching new formulas and products to bring to dedicated customers who have long depended on Cyclo for the latest developments in strong and effective formulas. Whether it is new VOC compliant formulas or new premium products offering the best and newest innovations, Cyclo is the company that has not only been working for the professional in the past, but will continue to do so in the future.

INDEX

Bulk sizes available on most products. Inquire for details.

01110 No7 Auto Polish & Cleaner ... 26
05140 Rally Liqui-Cream Wax ... 23
06610 No7 Clearcoat Polishing Compound ... 26
07610 No7 White Polishing Compound ... 27
08610 No7 Rubbing Compound ... 27
09610 No7 Scratch Remover ... 26
10120 No7 Chrome & Metal Polish ... 26
16140 No7 Car & Truck Wash 8 oz ... 26
16330 No7 Car & Truck Wash 4 lb ... 26
16340 No7 Car & Truck Wash 16 lb ... 26
2233 Rain Dance Wet Tire Shine ... 24
2510 Rain Dance Premium Liquid Wax ... 24
2540 Rain Dance Carnuba Car Wax ... 24
2550 Rain Dance Premium Cleaner Wax ... 24
2931 Rain Dance Quick Detailer ... 24
65864 Tanner's Preserve Leather Cleaner ... 23
65893 Tanner's Preserve Leather Conditioner ... 23
82116 Rally Cream Car Wax ... 23
C0801 Headlight Restore ... 19
C1 Carb Clean 12 oz ... 14
C1CA10VOC Carb Clean Low VOC 12 oz ... 14
C1INTL Carb Clean 12 oz ... 14
C5 Carb Clean 19 oz ... 14
C10 Break Away ... 4
C19 Motor Flush 15 fl oz ... 16
C20 Motor Flush 30 fl oz ... 16
C21 Diesel Fuel Injector Cleaner ... 11
C23 Diesel Fuel Treatment Year Round ... 11
C24 Diesel Fuel Treatment & Anti-Gel 32 fl oz ... 10
C27 Power Steering Fluid 12 fl oz ... 18
C28 Power Steering Fluid 32 fl oz ... 18
C30 No Stink Engine Clean ... 14
C32 Brake & Parts Clean Chlorinated ... 12
C33V Silicone Spray ... 5
C34 White Grease ... 4
C35 Rubberized Under Coating ... 34
C36 Disc Brake Quiet ... 12
C37 Electric Motor Cleaner ... 14
C39 No Stink Engine Clean Foaming ... 14
C40 Fuel Injector Clean Up ... 8
C41 Fuel Injector & Carb Clean ... 8
C43 Gas Treatment ... 8
C44 Max44 Gasoline ... 8
C44B Max44 Gasoline 8 fl oz ... 8
C44D Max44 Diesel ... 10
C45 Trans Stop Leak Conditioner ... 17
C47 Octane Boost ... 9
C50 Fast Flush ... 16
C51 Anti-Rust & Water Pump Lubricant ... 17
C52 Stop Leak & Sealer ... 17
C53 Coolant Booster ... 17
C55 DOT 3 Brake Fluid 12 fl oz ... 13
C56 DOT 3 Brake Fluid 32 fl oz ... 13
C62 Foam Away Tire Care Cleaner & Shine ... 22
C64 Bug & Tar Clean ... 22
C71 DOT 4 Brake Fluid 12 fl oz ... 13
C85 Energized Circuit & Contact Cleaner ... 14
C87 Quick Dry Electronic Cleaner ... 14
C89 Engine Stop Leak ... 18
C90 Premium Gold Concentrated Oil Treatment ... 18
C91 Premium Concentrated Oil Treatment ... 18
C97 Air Brake Anti-Freeze & Dryer 32 fl oz ... 13
C98 Air Brake Anti-Freeze & Dryer 1 gal ... 13
C99 Fast Start Starting Fluid 7.2 oz ... 16
C100 Fast Start Starting Fluid 10.7 oz ... 16
C101C Brake & Parts Clean Methanol ... 12
C108C Brake & Parts Clean Low Odor ... 12
C109 Parts, Tools & Brake Cleaner ... 12
C111 Brake & Parts Clean ... 12
C111C Brake & Parts Clean Low VOC ... 12
C111CA10VOC Brake & Parts Clean Low VOC ... 12
C111SC Brake & Parts Clean Low VOC ... 12
C119C Brake & Parts Clean Low VOC 5 gal ... 12
C120 Battery Cleaner & Acid Detector ... 34
C121 Battery Protector ... 34
C123 Red Grease ... 4
C124-6 Belt Dressing ... 35
C179 Citrus Hand Cleaner with Pumice 1 gal ... 22
C206 Windshield Washer Solvent Concentrate ... 22
C207 Windshield Washer w/ Anti-freeze ... 22
C233 Power Steering Stop Leak ... 18
C240M Aluminized Stop Leak ... 17
C260 6XT Diesel Fuel Treatment 12 fl oz ... 10
C261 6XT Diesel Fuel Treatment 8 fl oz ... 10
C285 Diesel Water Remover ... 10
C290 Fuel Stabilizer 8 fl oz ... 9
C292 Fuel Stabilizer 32 fl oz ... 9
C300 Fusion 3.0 ... 4
C301 Epoxy Sticks ... 28
C305 ZLube ... 5
C305INTL ZLube International ... 5
C306INTL ZLube International 5.5 oz ... 5
C307INTL ZLube International 3.3 oz ... 5
C320 Liqui Shield ... 4
C331 Glass Clean ... 19
C392 Max Clean All-Purpose Cleaner ... 19
C395 Deep Defend Upholstery & Carpet Cleaner ... 19
C400 Faster ... 5
C501 Tire SOS Non-Flammable ... 33
C521 PermaStop ... 16
C530 Engine Coolant Year Round ... 33
C570 Spray Off Salt 22 oz ... 37
C573 Spray Off Salt 1 gal ... 37
C661 Chain Lube ... 5
C682 Anti-Seize ... 35
C706 Dielectric Grease ... 35
C800 Cold Galvanize ... 34
C904 Headliner & Carpet Adhesive ... 28
C910 Rear View Mirror Adhesive ... 28
C920 Blue Medium Strength 6 mL ... 30
C925 Red High Strength 6 mL ... 30
C943 Clear 2 Part Epoxy ... 28
C944 Steel 2 Part Epoxy ... 28
C951 Black Silicone Gasket Maker 3 fl oz ... 29
C952 Red Silicone Gasket Maker 3 fl oz ... 29
C953 Clear Silicone Gasket Maker 3 fl oz ... 29
C956 Blue Silicone Gasket Maker 3 fl oz ... 29
C959 Grey OX Silicone ... 29
C961 Black OX Silicone ... 29
C991-6 Black Silicone Gasket Maker 9.8 fl oz ... 29
C992-6 Red Silicone Gasket Maker 9.8 fl oz ... 29
C993-6 Clear Silicone Gasket Maker 9.8 fl oz ... 29
C997-6 White Silicone Gasket Maker 9.8 fl oz ... 29
C999 Grey OX Silicone 9.8 fl oz ... 29
C2100 Smoke Treatment ... 17
C3322 Dry Moly ... 5
C3352 Rust Converter ... 35
C22210 Purple Small Screws 10 mL ... 30
C22250 Purple Small Screws 50 mL ... 30
C24006 Blue Medium Strength Gel 6 mL ... 30
C24210 Blue Medium Strength 10 mL ... 30
C24250 Blue Medium Strength 50 mL ... 30
C24350 Blue Surface Insensitive 50 mL ... 30
C26250 Red Permanent Strength 50 mL ... 31
C27006 Red High Strength Gel 6 mL ... 31
C27110 Red High Strength 10 mL ... 31
C27150 Red High Strength 50 mL ... 31
C27250 Red High Temperature 50 mL ... 31
C27725 Red Large Diameter 250 mL ... 31
C27750 Red Large Diameter 50 mL ... 31
C29010 Green Penetrating Grade 10 mL ... 30
C29050 Green Penetrating Grade 50 mL ... 30
C51550 Gasket Maker General Purpose 50 mL ... 31
C51850 Gasket Maker Solvent Resistant 50 mL ... 31
C54550 Pneumatic/Hydraulic Sealant 50 mL ... 32
C56550 Controlled Strength Pipe Sealant 50 mL ... 32
C56750 Extreme Temp Pipe Sealant 50 mL ... 32
C59250 High Temp Pipe Sealant 50 mL ... 32
C66050 Worn Part Retaining Compound 50 mL ... 32
C68050 Max Strength Retaining Compound 50 mL ... 32
C88201 Air Intake System Cleaner 5 oz ... 34
CDFA Diesel Fuel Treatment & Anti-Gel 8 fl oz ... 10
C-FHCH Viva-Scent Palm Trees - Cherry ... 36
C-FHIB Viva-Scent Palm Trees - Cool Black ... 36
C-FHJS Viva-Scent Palm Trees - Jasmine ... 36
C-FHNC Viva-Scent Palm Trees - New Car ... 36
C-FHPN Viva-Scent Palm Trees - Pine ... 36
C-FHST Viva-Scent Palm Trees - Strawberry ... 36
C-FHVN Viva-Scent Palm Trees - Vanilla ... 36
C-FHWD Viva-Scent Palm Trees - Wildberry ... 36
C-FN2CH Viva-Scent Organic - Cherry ... 36
C-FN2JS Viva-Scent Organic - Jasmine ... 36
C-FN2NC Viva-Scent Organic - New Car ... 36
C-FN2ST Viva-Scent Organic - Strawberry ... 36
C-FN2VN Viva-Scent Organic - Vanilla ... 36
C-FN2WD Viva-Scent Organic - Wild Berry ... 36

PROFESSIONAL PERFORMANCE

AUTOMOTIVE | HEAVY DUTY | INDUSTRIAL | AGRICULTURE | MARINE

MADE IN THE USA

MEMBER

ASPA AUTOMOTIVE SPECIALTY PRODUCTS ALLIANCE

AAIA®

Distributed by:

ROWLEYS WHOLESALE

3604 Wilder Rd
Bay City, MI 48706
Website: www.rowleys.com
www.facebook.com/Rowleys.Wholesale
Email: customerservice@rowleys.com

Toll Free: 800-ROWLEYS
(769-5397)
Phone: 989-671-6500
Fax: 989-671-1400
BAY CITY, MI • MEDINA, OH • SOUTHGATE, MI

Cyclo®, Rain Dance®, No 7®, Rally®, Tanner's Preserve® & Viva Scent® are sold throughout the world under the registered trademark of Cyclo Industries, Inc.

©2017 Cyclo Industries, Inc.
A division of Pidilite USA, Inc.
Source Code: W-CY1608-16

ULTRAWELD®

ANAEROBIC THREAD LOCKERS







PRODUCT	PENETRATING GRADE	MEDIUM STRENGTH GEL	SURFACE INSENSITIVE	MEDIUM STRENGTH	SMALL SCREWS
TYPICAL SIZE FASTENER	#2 to 1/2" 2.2 to 12 mm	1/4" to 1" 6 to 25 mm	1/4" to 3/4" (6 to 20 mm)	1/4" to 3/4" (6 to 20 mm)	Up to 1/4" (6 mm)
BREAK/PREVAIL (INCH POUNDS)	97 / 266	115 / 50	186 / 53	115 / 53	62 / 35
TEMP. RANGE	-65° to 300° F (-54° to 149°C)	-65° to 300° F (-54° to 149°C)	-65° to 300° F (-54° to 149°C)	-65° to 300° F (-54° to 149°C)	-65° to 300° F (-54° to 149°C)
VISCOSITY CP	12	75,000 / 900,000	2,250 / 12,000	1,200 / 6,000	1,200 / 5,000
SIZES	C29010 10 mL C29050 50 mL	C24006 6 mL	C24350 50 mL	C24210 10 mL C24250 50 mL	C22210 10 mL C22250 50 mL
USE ON	Carburetors; electrical connectors; instrumentation screws; pre-assembled fasteners	Tools; pumps, compressors; gear boxes; bolts - (mounting, pulley, coupling)	Pumps; motor mounting bolts; gear boxes; presses	Tools; pumps, compressors; gear boxes; bolts - (mounting, pulley, coupling)	Set screws; throttle body assembly screws; panel mounting fasteners; meters & gauges

CONVENTIONAL THREAD LOCKERS



THREAD LOCKERS - BLUE
Medium Strength - Removable

- Locks, fastens & seals threads
- Prevents loosening due to vibration
- Removable with normal hand tools

Stock #: C920 | 6 pack | .20 oz. / 6 mL



THREAD LOCKERS - RED
HIGH Strength - Permanent

- Locks, fastens & seals threads securely
- Prevents loosening due to vibration
- Disassembly requires extra effort

Stock #: C925 | 6 pack | .20 oz. / 6 mL

ULTRAWELD®

ANAEROBIC THREAD LOCKERS







PRODUCT	LARGE DIAMETER	HIGH TEMPERATURE	PERMANENT STRENGTH	HIGH STRENGTH	HIGH STRENGTH GEL
TYPICAL SIZE FASTENER	1" and over (25 mm+)	3/8" to 1-1/2" (10 to 38 mm)	3/8" to 1" (10 to 25 mm)	3/8" to 1" (10 to 25 mm)	3/8" to 1" (10 to 25 mm)
BREAK/PREVAIL (INCH POUNDS)	284 / 284	213 / 230	177 / 266	239 / 266	195 / 248
TEMP. RANGE	-65° to 300° F (-54° to 149°C)	-65° to 450° F (-54° to 230°C)	-65° to 300° F (-54° to 149°C)	-65° to 300° F (-54° to 149°C)	-65° to 300° F (-54° to 149°C)
VISCOSITY CP	7,000	10,000	1,800 / 5,000	500	75,000 / 900,000
SIZES	C27750 50 mL C27725 250 mL	C27250 50 mL	C26250 50 mL	C27110 10 mL C27150 50 mL	C27006 6 mL
USE ON	Heavy duty equipment such as construction & railroad assemblies; suspension bolts; gear bolts	Camshaft sprockets bolts; crankshaft bolts; transmission input & output shaft threads; idler bearings; ring gear or shock bolts	Suspension fasteners; shock absorber mounts; frame brackets; wheel studs	Cylinder block bolts; transmission shaft bolts; ring gear bolts	Cylinder block / rocker arms studs; shock absorber mounts; ring gear & frame bolts



GASKET MAKER
General Purpose

- Flexes with flanges
- Extended work time

Stock #: C51550 | 6 pack | 1.69 fl oz. / 50 mL tubes



GASKET MAKER
Solvent Resistant

- Fast work time
- For aluminum & rigid machined flanges

Stock #: C51850 | 6 pack | 1.69 fl oz. / 50 mL tubes

	Purple	Red
COLOR		
TEMP. RANGE	-65° to 300° F (-54° to 149°C)	-65° to 300° F (-54° to 149°C)
VISCOSITY	275,000 / 950,000	800,000 / 3,750,000
CURE SPEED	30 min. to 4 hrs. (primed) 4 to 24 hrs (unprimed)	15 min. to 2 hrs. (primed) 1 to 12 hrs (unprimed)
USES	Water pumps; engine cases; timing covers; thermostat housing	Transmission pans; trans axle casings; water pumps

8

ULTRAWELD®

ANAEROBIC RETAINING COMPOUNDS



C66050



C68050

PRODUCT	Worn-Part Retaining Compound	Maximum Strength Retaining Compound
MAX GAP FILL DIAMETER	Up to .020" (.5 mm)	Up to .015" (.4 mm)
SHEER STRENGTH	3000 psi	4000 psi
OPERATING TEMP.	-65° to 300° F (-54° to 149°C)	-65° to 300° F (-54° to 149°C)
VISCOSITY CP	1,200,000	1,250
USES	Loose set screws; worn couplings; worn shafts & housings	Wheel & press fit bearings; replaces set screws, clamp rings, snap rings

ANAEROBIC PIPE SEALANT



C54550



C56750



C56550



C59250


PRODUCT	Pneumatic / Hydraulic Sealant	Extreme Temperature with PTFE	Controlled Strength with PTFE	High Temperature with PTFE
MAX PIPE DIAMETER	2" (50 mm)	3" (75 mm)	2" (50 mm)	2" (50 mm)
SEALS TO OPERATING PRESSURE	10,000 psi	10,000 psi	10,000 psi	10,000 psi
TEMP. RANGE	-65° to 300° F (-54° to 149°C)	-65° to 400° F (-54° to 200°C)	-65° to 300° F (-54° to 149°C)	-65° to 400° F (-54° to 200°C)
VISCOSITY	14,000 (cP)	300,000 (cP)	300,000 (cP)	350,000 (cP)
USES	Fitting on hydraulic lines, brakes, transmission fluid	Tapered pipe threads & fittings	Stainless steel fittings; oil & coolant lines; fuel fittings	Oil psi switches & sensors; transmission oil & coolant lines; head bolts

ANAEROBIC GUIDE

THREAD LOCKING

BLIND HOLES

Step 1
Apply C262** both the stud threads and female threads inside the hole.




Step 2
After assembly, apply C242 or (C243) on to any exposed threads

ADJUSTMENT SCREWS

Step 1
Tighten screw to desired setting


Step 2
Apply C290 where screw and body meet



PRE-ASSEMBLED

Step 1
Assemble all parts to desired strength

Step 2
For maximum locking, apply C290 where nut and bolt meet




THREAD SEALING

(see opposite side to select the right Pipe Sealant for your application)

PIPE, HYDRAULIC OR AIR FITTINGS

start approximately 2 band from bottom

Step 1
Apply Sealant to male threads




Step 2
Assemble without overtightening

PIPE UNIONS

Step 1
Apply Sealant to male threads


Step 2
Assemble without overtightening



COMPRESSION FITTINGS

Step 1
Apply Sealant onto tubing where ferrule will eventually rest

Step 2
Push ferrule into place and apply Sealant to ferrule




Step 3
Apply Sealant to male threads and assemble without

GASKETING

SEALING CAST RIGID FLANGES

Step 1
Apply an even, unbroken bead of Gasket Maker


Step 2
Assemble and tighten parts to required strength



SEALING FLANGES

Step 1
Apply C518 to both sides of precut gasket

Step 2
Apply gasket to flange surface and assemble immediately




Step 3
Use C242, C243 or C24006 on bolt and hole threads

HEAVY DUTY KEYED ASSEMBLIES

Step 1
Apply C660 on shaft, key and in keyway

Step 2
Assemble parts and remove any excess




SHAFT MOUNTED ASSEMBLIES

Step 1
Trim sleeve for appropriate slip fit

Step 2
Apply C680 or C660 around shaft and install sleeve

Step 3
Apply C660 to sleeve and install component



HOUSED COMPONENTS - SLIP FIT



Step 1
Reduce component O.D. (or housing I.D.) for .002-.004" slip fit

Step 2
Apply C660 to component O.D. and assemble with a twisting motion

Step 3
Remove any excess

DISASSEMBLY OF HIGH STRENGTH FASTENERS

- APPLY LOCALIZED HEAT TO ASSEMBLED UNIT FOR 5 MINUTES. FOR BEST RESULTS, USE TEMPERATURES OF 450˚F (232˚C) OR HIGHER
- DISASSEMBLE WITH HAND TOOLS WHILE HOT



Stock #: C501

12 Pack

12 oz / 340 g



Non-Flammable Tire S.O.S

Emergency Tire Rescue

- Quickly reinflates & seals punctures from the inside of a damaged tire
- Non-flammable product
- Comes with a handy hose applicator for easy use

Stock #: C530

6 Pack

1 gal / 3.73 L



Engine Coolant

Year Round Protection

- Boosted with glycol for improved high & low temperature performance
- Anti-corrosion formula
- Not an anti-freeze

Stock #: C124-6

6 Pack

8 oz / 227 g



Belt Dressing

Protective Coating Prevents Drying & Cracking

- Stops squeaks, adds traction
- Protects against further slippage
- Protects fan belts & motor driven belts against drying & cracking

Stock #: C682

12 Pack

8 fl oz / 237 mL



Anti-Seize

Protects metal parts from extreme heat, pressure, rust & corrosion

- Prevents galling, seizing & pitting & reduces wear & friction
- Ensures accurate torque & easy disassemble

Stock #: C706

6 Pack

3 fl oz / 89 mL



Dielectric Grease

Lubricates, seals & protects electrical connections

- Rust & corrosion protection
- Locks out moisture, oil, salt & dirt

Stock #: C35

12 Pack

16 oz / 454 g



Under Coating

Professional Looking Textured Finish

- Fights rust, soundproofs & restores protection
- Paintable & quick drying
- Blocks out salt & water
- Rubberized formula

Stock #: C120

12 Pack

15 oz / 425 g



Battery Cleaner & Acid Leak Detector

Extends Battery Life

- Cleans & helps protect battery terminals, clamps, connectors, cables & carriers
- Removes corrosion & extends battery life
- Locates & identifies acid leaks

Stock #: C121

12 Pack

11 oz / 312 g



Battery Protector

Extends Battery Life

- Protective red-colored coating prevents corrosion on terminals & brackets
- Soft pliable formula flows into cracks & crevices for maximum protection
- Extends battery life

Stock #: C800

12 Pack

13 oz / 369 g



Cold Galvanize

Industrial Grade

- 98% pure zinc coating provides long-term protection against rust & corrosion
- Heat resistant coating - up to 300°F
- Combines tough properties of epoxy & galvanic protection of zinc

Stock #: C3352

12 Pack

10 oz / 284 g



Rust Converter

Seals & converts rusted surface into paintable area

- Neutralizes rust & is long-lasting
- Use on gates, bridges, marine equipment, farm tools, metal roofs & more



SPECIALTY



VIVA-SCENT® PALM TREES

- Long lasting - up to 8 weeks
- Immediately ready for display/hanging
- Offset foul & unpleasant odors
- Wide variety of most popular scents

Palm Trees:
Display: 12 | Case: 144

Display Board:
Display: 60 | Case: 12



VIVA-SCENT® ORGANICS

- Three scent infused blocks - up to 60 days of scent
- Natural, pleasant scents
- Available in assorted & individual display boxes
- Immediately ready for counter placement

Display: 24 | Case: 144 | Contents: 1.5 oz. / 43 g

SCENTS:

VIVA-SCENT® PALM TREES

C-FHCH Cherry
C-FHJS Jasmine
C-FHIB Cool Black
C-FHNC New Car
C-FHPN Pine
C-FHST Strawberry
C-FHVN Vanilla
C-FHWD Wildberry

VIVA-SCENT® ORGANICS

C-FN2CH Cherry
C-FN2JS Jasmine
C-FN2NC New Car
C-FN2ST Strawberry
C-FN2VN Vanilla
C-FN2WD Wildberry

NEW PRODUCT SHOWCASE

Stock #: C570
12 Pack
22 oz / 651 g



SPRAY OFF SALT

Inhibits Corrosion

- Removes Salt Deposits
- Biodegradable
- Marine Use
- Engine Flush & Protector

C573 | 4 pack | 1 GAL / 3.78 L

SPRAY OFF SALT



Safe For All Surfaces & Applications

Available Sizes: 22 fl oz Premix (Stock No. C570), 1 gallon Concentrate (Stock No. C573), Applicator (Stock No. C574)

PROFESSIONAL PERFORMANCE
TRUSTED THROUGHOUT THE WORLD



= Cyclo Home Offices = Cyclo Warehouses = Cyclo Distributors

For over 50 years, the Cyclo brand of professional quality products has been used in automotive, heavy duty/fleet, industrial, agricultural and marine services. The brand started as a line of service chemicals which was largely sold through traditional warehouse distributors to jobbers and then to professional mechanics and serious do-it-yourselfers. The line is known for its professional quality formulas and superior packaging since the first Cyclo product was introduced - Carb Clean® Fast Gum Cutter.

The array of colors used in Cyclo packaging was originally introduced for the professional, so he could quickly reach for a product without having to read the label. Cyclo products have always been formulated for professionals who use the products as tools to do their jobs quicker, easier and better. One comment heard over and over from mechanics trying products for the first time is that they are amazed at how much quality and effectiveness they can get out of one can.

In 2000, Cyclo acquired the Rally® and No 7® car care brands from the Clorox® Company. The acquisition of these two world-famous appearance brands broadened Cyclo's offering and stature in the aftermarket. Both lines fit perfectly with Cyclo's professional quality products in both performance and quality. In 2003, the additional acquisition of Tanner's Preserve® Leather Care products from Clorox added another category to Cyclo.

Cyclo developed an export business more than 25 years ago and currently has distributor relationships in over 80 countries around the world. In 2006, Cyclo was acquired by Pidilite USA Inc., a division of Pidilite Industries, Ltd. headquartered in Mumbai, India. Pidilite employs over 3,000 people in 14 countries with customers throughout the world.

Cyclo products are proudly Made in the USA. The company manufactures an American made product line to ensure their impeccable standards are met. Cyclo is continually researching new formulas and products to bring to dedicated customers who have long depended on Cyclo for the latest developments in strong and effective formulas. Whether it is new VOC compliant formulas or new premium products offering the best and newest innovations, Cyclo is the company that has not only been working for the professional in the past, but will continue to do so in the future.

INDEX

Bulk sizes available on most products. Inquire for details.

01110 No7 Auto Polish & Cleaner ... 26
05140 Rally Liqui-Cream Wax ... 23
06610 No7 Clearcoat Polishing Compound ... 26
07610 No7 White Polishing Compound ... 27
08610 No7 Rubbing Compound ... 27
09610 No7 Scratch Remover ... 26
10120 No7 Chrome & Metal Polish ... 26
16140 No7 Car & Truck Wash 8 oz ... 26
16330 No7 Car & Truck Wash 4 lb ... 26
16340 No7 Car & Truck Wash 16 lb ... 26
2233 Rain Dance Wet Tire Shine ... 24
2510 Rain Dance Premium Liquid Wax ... 24
2540 Rain Dance Carnuba Car Wax ... 24
2550 Rain Dance Premium Cleaner Wax ... 24
2931 Rain Dance Quick Detailer ... 24
65864 Tanner's Preserve Leather Cleaner ... 23
65893 Tanner's Preserve Leather Conditioner ... 23
82116 Rally Cream Car Wax ... 23
C0801 Headlight Restore ... 19
C1 Carb Clean 12 oz ... 14
C1CA10VOC Carb Clean Low VOC 12 oz ... 14
C1INTL Carb Clean 12 oz ... 14
C5 Carb Clean 19 oz ... 14
C10 Break Away ... 4
C19 Motor Flush 15 fl oz ... 16
C20 Motor Flush 30 fl oz ... 16
C21 Diesel Fuel Injector Cleaner ... 11
C23 Diesel Fuel Treatment Year Round ... 11
C24 Diesel Fuel Treatment & Anti-Gel 32 fl oz ... 10
C27 Power Steering Fluid 12 fl oz ... 18
C28 Power Steering Fluid 32 fl oz ... 18
C30 No Stink Engine Clean ... 14
C32 Brake & Parts Clean Chlorinated ... 12
C33V Silicone Spray ... 5
C34 White Grease ... 4
C35 Rubberized Under Coating ... 34
C36 Disc Brake Quiet ... 12
C37 Electric Motor Cleaner ... 14
C39 No Stink Engine Clean Foaming ... 14
C40 Fuel Injector Clean Up ... 8
C41 Fuel Injector & Carb Clean ... 8
C43 Gas Treatment ... 8
C44 Max44 Gasoline ... 8
C44B Max44 Gasoline 8 fl oz ... 8
C44D Max44 Diesel ... 10
C45 Trans Stop Leak Conditioner ... 17
C47 Octane Boost ... 9
C50 Fast Flush ... 16
C51 Anti-Rust & Water Pump Lubricant ... 17
C52 Stop Leak & Sealer ... 17
C53 Coolant Booster ... 17
C55 DOT 3 Brake Fluid 12 fl oz ... 13
C56 DOT 3 Brake Fluid 32 fl oz ... 13
C62 Foam Away Tire Care Cleaner & Shine ... 22
C64 Bug & Tar Clean ... 22
C71 DOT 4 Brake Fluid 12 fl oz ... 13
C85 Energized Circuit & Contact Cleaner ... 14
C87 Quick Dry Electronic Cleaner ... 14
C89 Engine Stop Leak ... 18
C90 Premium Gold Concentrated Oil Treatment ... 18
C91 Premium Concentrated Oil Treatment ... 18
C97 Air Brake Anti-Freeze & Dryer 32 fl oz ... 13
C98 Air Brake Anti-Freeze & Dryer 1 gal ... 13
C99 Fast Start Starting Fluid 7.2 oz ... 16
C100 Fast Start Starting Fluid 10.7 oz ... 16
C101C Brake & Parts Clean Methanol ... 12
C108C Brake & Parts Clean Low Odor ... 12
C109 Parts, Tools & Brake Cleaner ... 12
C111 Brake & Parts Clean ... 12
C111C Brake & Parts Clean Low VOC ... 12
C111CA10VOC Brake & Parts Clean Low VOC ... 12
C111SC Brake & Parts Clean Low VOC ... 12
C119C Brake & Parts Clean Low VOC 5 gal ... 12
C120 Battery Cleaner & Acid Detector ... 34
C121 Battery Protector ... 34
C123 Red Grease ... 4
C124-6 Belt Dressing ... 35
C179 Citrus Hand Cleaner with Pumice 1 gal ... 22
C206 Windshield Washer Solvent Concentrate ... 22
C207 Windshield Washer w/ Anti-freeze ... 22
C233 Power Steering Stop Leak ... 18
C240M Aluminized Stop Leak ... 17
C260 6XT Diesel Fuel Treatment 12 fl oz ... 10
C261 6XT Diesel Fuel Treatment 8 fl oz ... 10
C285 Diesel Water Remover ... 10
C290 Fuel Stabilizer 8 fl oz ... 9
C292 Fuel Stabilizer 32 fl oz ... 9
C300 Fusion 3.0 ... 4
C301 Epoxy Sticks ... 28
C305 ZLube ... 5
C305INTL ZLube International ... 5
C306INTL ZLube International 5.5 oz ... 5
C307INTL ZLube International 3.3 oz ... 5
C320 Liqui Shield ... 4
C331 Glass Clean ... 19
C392 Max Clean All-Purpose Cleaner ... 19
C395 Deep Defend Upholstery & Carpet Cleaner ... 19
C400 Faster ... 5
C501 Tire SOS Non-Flammable ... 33
C521 PermaStop ... 16
C530 Engine Coolant Year Round ... 33
C570 Spray Off Salt 22 oz ... 37
C573 Spray Off Salt 1 gal ... 37
C661 Chain Lube ... 5
C682 Anti-Seize ... 35
C706 Dielectric Grease ... 35
C800 Cold Galvanize ... 34
C904 Headliner & Carpet Adhesive ... 28
C910 Rear View Mirror Adhesive ... 28
C920 Blue Medium Strength 6 mL ... 30
C925 Red High Strength 6 mL ... 30
C943 Clear 2 Part Epoxy ... 28
C944 Steel 2 Part Epoxy ... 28
C951 Black Silicone Gasket Maker 3 fl oz ... 29
C952 Red Silicone Gasket Maker 3 fl oz ... 29
C953 Clear Silicone Gasket Maker 3 fl oz ... 29
C956 Blue Silicone Gasket Maker 3 fl oz ... 29
C959 Grey OX Silicone ... 29
C961 Black OX Silicone ... 29
C991-6 Black Silicone Gasket Maker 9.8 fl oz ... 29
C992-6 Red Silicone Gasket Maker 9.8 fl oz ... 29
C993-6 Clear Silicone Gasket Maker 9.8 fl oz ... 29
C997-6 White Silicone Gasket Maker 9.8 fl oz ... 29
C999 Grey OX Silicone 9.8 fl oz ... 29
C2100 Smoke Treatment ... 17
C3322 Dry Moly ... 5
C3352 Rust Converter ... 35
C22210 Purple Small Screws 10 mL ... 30
C22250 Purple Small Screws 50 mL ... 30
C24006 Blue Medium Strength Gel 6 mL ... 30
C24210 Blue Medium Strength 10 mL ... 30
C24250 Blue Medium Strength 50 mL ... 30
C24350 Blue Surface Insensitive 50 mL ... 30
C26250 Red Permanent Strength 50 mL ... 31
C27006 Red High Strength Gel 6 mL ... 31
C27110 Red High Strength 10 mL ... 31
C27150 Red High Strength 50 mL ... 31
C27250 Red High Temperature 50 mL ... 31
C27725 Red Large Diameter 250 mL ... 31
C27750 Red Large Diameter 50 mL ... 31
C29010 Green Penetrating Grade 10 mL ... 30
C29050 Green Penetrating Grade 50 mL ... 30
C51550 Gasket Maker General Purpose 50 mL ... 31
C51850 Gasket Maker Solvent Resistant 50 mL ... 31
C54550 Pneumatic/Hydraulic Sealant 50 mL ... 32
C56550 Controlled Strength Pipe Sealant 50 mL ... 32
C56750 Extreme Temp Pipe Sealant 50 mL ... 32
C59250 High Temp Pipe Sealant 50 mL ... 32
C66050 Worn Part Retaining Compound 50 mL ... 32
C68050 Max Strength Retaining Compound 50 mL ... 32
C88201 Air Intake System Cleaner 5 oz ... 34
CDFA Diesel Fuel Treatment & Anti-Gel 8 fl oz ... 10
C-FHCH Viva-Scent Palm Trees - Cherry ... 36
C-FHIB Viva-Scent Palm Trees - Cool Black ... 36
C-FHJS Viva-Scent Palm Trees - Jasmine ... 36
C-FHNC Viva-Scent Palm Trees - New Car ... 36
C-FHPN Viva-Scent Palm Trees - Pine ... 36
C-FHST Viva-Scent Palm Trees - Strawberry ... 36
C-FHVN Viva-Scent Palm Trees - Vanilla ... 36
C-FHWD Viva-Scent Palm Trees - Wildberry ... 36
C-FN2CH Viva-Scent Organic - Cherry ... 36
C-FN2JS Viva-Scent Organic - Jasmine ... 36
C-FN2NC Viva-Scent Organic - New Car ... 36
C-FN2ST Viva-Scent Organic - Strawberry ... 36
C-FN2VN Viva-Scent Organic - Vanilla ... 36
C-FN2WD Viva-Scent Organic - Wild Berry ... 36

PROFESSIONAL PERFORMANCE

AUTOMOTIVE | HEAVY DUTY | INDUSTRIAL | AGRICULTURE | MARINE

MADE IN THE USA

MEMBER

ASPA AUTOMOTIVE SPECIALTY PRODUCTS ALLIANCE

AAIA®

Distributed by:

ROWLEYS WHOLESALE

3604 Wilder Rd
Bay City, MI 48706
Website: www.rowleys.com
www.facebook.com/Rowleys.Wholesale
Email: customerservice@rowleys.com

Toll Free: 800-ROWLEYS
(769-5397)
Phone: 989-671-6500
Fax: 989-671-1400
BAY CITY, MI • MEDINA, OH • SOUTHGATE, MI

Cyclo®, Rain Dance®, No 7®, Rally®, Tanner's Preserve® & Viva Scent® are sold throughout the world under the registered trademark of Cyclo Industries, Inc.

©2017 Cyclo Industries, Inc.
A division of Pidilite USA, Inc.
Source Code: W-CY1608-16